

Supplementary files


Supplementary table 1: Comparison of outpatients with other patients.

N	OUTPATIENTS	OTHER CASES	<i>p-value</i>
	623	998	
	median (IQR)		
AGE (years)	68.3(56.7-80.4)	73.7(63.7-81.6)	<.0001
RRT DURATION (years)	3.5(1.4-7.3)	3.2(1.4-6.7)	0.99
	%		
Women	0.0	0.0	0.10
Age 0-64 yrs	46.2	31.9	<.0001
Age 65-74 yrs	25.0	27.2	
Age 75-84 yrs	21.7	29.1	
Age over 85 yrs	12.7	16.1	
Current smoker	4.4	6.8	0.001
Former smoker	8.3	7.0	
Chronic respiratory disease	13.1	17.4	0.02
Cancer	8.2	10.0	0.17
Peripheral vascular disease	21.3	24.1	0.25
Cerebrovascular disease	11.9	13.2	0.44
Ischemic heart disease	26.2	28.2	0.39
Dysrhythmia	17.9	24.2	0.01
Congestive heart failure	20.4	24.0	0.16
Totally dependent for transfer	4.6	4.6	0.01
Need assistance for transfer	14.1	16.7	
Diabetes	51.0	50.7	0.41
BMI<18.5 kg/m ²	0.0	0.0	0.33
BMI 18.5-25 kg/m ²	4.1	4.0	
BMI 25-30 kg/m ²	40.8	36.1	
BMI>= 30 kg/m ²	30.5	32.1	
Albuminemia >=35 g/l	64.8	61.9	0.53
Albuminemia 30-35 g/l	24.5	26.6	
Albuminemia<30 g/l	10.7	11.5	
Hospital-based HD	63.1	66.1	0.04
Out-center HD	24.2	20.6	
Self-care unit HD	10.6	9.1	
Home dialysis (PD or HD)	2.1	4.1	

Supplementary table 2: Comparison of the patients that were admitted in an ICU unit with the other patients.

N	CASES IN ICU	OTHER CASES	<i>p_value</i>
	141	1480	
	median (IQR)		
AGE (years)	67.2(58.3-74.5)	72.4(61.3-81.6)	0.0002
RRT DURATION (years)	3.2(1.2-6.8)	3.3(1.4-6.9)	0.44
	%		
Women	31.2	36.69	0.20
Age 0-64 yrs	40.4	31.89	<.0001
Age 65-74 yrs	36.9	25.34	
Age 75-84 yrs	19.2	26.89	
Age over 85 yrs	3.6	15.88	
Current smoker	8.4	7.4	0.91
Former smoker	26.7	26.65	
Chronic respiratory disease	16.9	15.56	0.68
Cancer	9.0	9.35	0.51
Peripheral vascular disease	22.7	23.01	0.57
Cerebrovascular disease	6.2	13.27	0.02
Ischemic heart disease	25.2	27.63	0.55
Dysrhythmia	15.0	22.36	0.05
Congestive heart failure	16.5	23.17	0.22
Totally dependent for transfer	1.5	4.87	0.03
Need assistance for transfer	10.0	16.2	
Diabetes	55.1	50.38	0.40
BMI<18.5 kg/m ²	0.9	4.31	0.01
BMI 18.5-25 kg/m ²	28.5	38.82	
BMI 25-30 kg/m ²	42.2	30.43	
BMI>= 30 kg/m ²	28.5	26.44	
Albuminemia >=35 g/l	65.0	62.88	0.36
Albuminemia 30-35 g/l	27.6	25.61	
Albuminemia<30 g/l	7.3	11.51	
Hospital-based HD	55.3	65.88	0.02
Out-center HD	24.8	21.76	
Self-care unit HD	16.3	9.05	
Home dialysis (PD or HD)	3.6	3.31	

Supplementary Figure 1 : Distribution of the higher level on the ordinal WHO scale (except death) for 87 ICU patients.



Reference: https://www.who.int/blueprint/priority-diseases/key-action/COVID-19_Treatment_Trial_Design_Master_Protocol_synopsis_Final_18022020.pdf